

ESPRIMO Q Series Mini PC More PC per inch³

Issue March 2007

Pages 3

The ESPRIMO Q Series opens a new chapter on performance, size and design.

With its extremely small and stylish design, the new Professional Mini PC satisfies a so far unanswered business need: Professional PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a professional PC.

Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level.

Add an eye catcher to your desk.

Reliability

- Excellent product quality in a stylish, elegant housing
- Product design and assembly of ESPRIMO Mini PC by Fujitsu Siemens Computers in Germany

Ergonomics

- Sophisticated system design provides the most silent system for an efficient working environment
- Extremely space saving for best usability where space is an issue

Customizing

- Tailor-made products to meet customer individual requirements possible
- Perfect adaptation to customer specific needs - customizing of cabinet with company logo and design

Security

- Access and data protection with sophisticated hardware and software components for data security
- Best physical and system security to protect your property



	Q5000	Q5010
Power consumption for standard configuration (W)		
Peak (running app. CD in use)	45W	45W
Average (running OS, Idle mode)	26W	26W
Minimum (ACPI status S5, soft off, WOL enabled)	2,6W	2,6W
Noise for standard configuration		
A weighted sound power level L _{wad} / Workplace related A-weighted sound pressure level L _{pAm} (bystander position) (ISO9296)		
LWAd in B / LpAm in dB (Idle mode)	3,9B / 25dB	3,9B / 25dB
LWAd in B / LpAm in dB (office work)	4,0B / 26dB	4,0B / 26dB
LWAd in B / LpAm in dB (Operating, HDD performance)	4,9B / 35 dB	4,9B / 35 dB
Operating temperatures		
Ambient temperature (IEC 721)	5° - 35° C	5° - 35° C
Relative humidity (non-condensing)	20% - 85%	20% - 85%
Dimensions (H x W x D)	50 x 165 x 165 mm	50 x 165 x 165 mm
Operating position (vertical/horizontal)	- / x	- / x
Weight (depending on config)	1.7 kg	1.7 kg
Approvals and standards		
CE certification		
according to EU Directives 89/336/EEC (EMC) and 06/05/EC (Product safety)	x	x
Ergonomics		
ISO9241 (GS mark)	-	-
Product safety		
IEC60950, EN60950, UL 60950, CSA22.2, UL 60950, CSA22.2, No.60950	x	x
Electromagn. compatibility		
EN55022/B, FCC class B, EN55024, EN61000-3-2/3	x	x
Environmental compatibility		
Energy Star	-	-
Blue Angel	-	-
Nordic Swan	-	-
Software (compatibility / preinstalled)		
Microsoft Windows XP Home	x / optional	x / optional
Microsoft Windows XP Professional	x / optional	x / optional
Microsoft Windows Vista™ capable (min. 512MB RAM necessary)	x	x
Microsoft Windows Vista™ Premium Ready (min. 1GB RAM / DVD reader necessary)	x	x
Additional Software (compatibility / preinstalled)		
Adobe Acrobat Reader	x	x
Driver and Utility DVD	x	x
Easy Guide on-line user documentation	x	x
Nero	x (with combo or DVD RW drive)	x (with combo or DVD RW drive)
Norton Internet Security (incl. Firewall) on Driver and Utility CD	x	x
Toshiba Stack 4.x	-	-
Odyssey Client	x	x
WinDVD for MPEG II decode	x (as option)	x (as option)
Windows 2000 driver support	-	-
Security		
Physical security		
Kensington Lock support	x	x
System Security		
Norton Internet Security	x	x
User Security		
User and supervisor BIOS password	x	x
Hard disk password	-	-